

LongLife HighTemp 260

d [mm]	D	B	C0	Limiting Speed [rpm]	Ball Grade [ISO3290: 20010]	Designation
10	35	11	3,4	400	5	HighTemp 010 6300/CSB.260°C
12	32	10	3,1	400	3	HighTemp 012 6201/CSB.260°C
15	35	11	3,75	360	3	HighTemp 015 6202/CSB.260°C
17	35	10	3,25	340	3	HighTemp 017 6003/CSB.260°C
17	40	12	4,75	310	3	HighTemp 017 6203/CSB.260°C
17	47	14	6,55	280	5	HighTemp 017 6303/CSB.260°C
20	42	12	5	290	3	HighTemp 020 6004/CSB.260°C
20	47	14	6,55	260	3	HighTemp 020 6204/CSB.260°C
20	52	15	7,8	250	5	HighTemp 020 6304/CSB.260°C
25	47	12	6,55	250	3	HighTemp 025 6005/CSB.260°C
25	52	15	7,8	230	3	HighTemp 025 6205/CSB.260°C
25	62	17	11,6	200	5	HighTemp 025 6305/CSB.260°C
30	62	16	11,2	190	3	HighTemp 030 6206/CSB.260°C
30	72	19	16	170	5	HighTemp 030 6306/CSB.260°C
35	72	17	15,3	160	5	HighTemp 035 6207/CSB.260°C
35	80	21	19	150	5	HighTemp 035 6307/CSB.260°C
40	80	18	19	150	5	HighTemp 040 6208/CSB.260°C
40	90	23	24	130	5	HighTemp 040 6308/CSB.260°C
45	85	19	21,6	130	5	HighTemp 045 6209/CSB.260°C
45	100	25	31,5	120	5	HighTemp 045 6309/CSB.260°C
50	90	20	23,2	120	5	HighTemp 050 6210/CSB.260°C
50	110	27	38	110	5	HighTemp 050 6310/CSB.260°C
55	100	21	29	110	5	HighTemp 055 6211/CSB.260°C
55	120	29	45	100	5	HighTemp 055 6311/CSB.260°C
60	110	22	36	100	5	HighTemp 060 6212/CSB.260°C
60	130	31	52	90	5	HighTemp 060 6312/CSB.260°C
65	120	23	40,5	90	5	HighTemp 065 6213/CSB.260°C
65	140	33	60	80	5	HighTemp 065 6313/CSB.260°C
70	125	24	45	90	5	HighTemp 070 6214/CSB.260°C
70	150	35	68	80	5	HighTemp 070 6314/CSB.260°C
75	130	25	49	80	5	HighTemp 075 6215/CSB.260°C
75	160	37	76,5	70	5	HighTemp 075 6315/CSB.260°C

LongLife HighTemp 350

d [mm]	D	B	C0	Limiting Speed [rpm]	Ball Grade [ISO3290: 20010]	Designation
25	47	12	6,55	120	3	HighTemp 025 6005/CSB.350°C
25	52	15	7,8	230	3	HighTemp 025 6205/CSB.350°C
25	62	17	11,6	200	5	HighTemp 025 6305/CSB.350°C
30	62	16	11,2	190	3	HighTemp 030 6206/CSB.350°C
30	72	19	16	170	5	HighTemp 030 6306/CSB.350°C
35	72	17	15,3	160	5	HighTemp 035 6207/CSB.350°C
40	80	18	19	150	5	HighTemp 040 6208/CSB.350°C
40	90	23	24	130	5	HighTemp 040 6308/CSB.350°C
45	85	19	21,6	130	5	HighTemp 045 6209/CSB.350°C
50	90	20	23,2	120	5	HighTemp 050 6210/CSB.350°C
50	110	27	38	110	5	HighTemp 050 6310/CSB.350°C
55	100	21	29	110	5	HighTemp 055 6211/CSB.350°C
55	120	29	45	100	5	HighTemp 055 6311/CSB.350°C
60	110	22	36	100	5	HighTemp 060 6212/CSB.350°C
65	120	23	40,5	90	5	HighTemp 065 6213/CSB.350°C
65	140	33	60	80	5	HighTemp 065 6313/CSB.350°C
70	125	24	45	90	5	HighTemp 070 6214/CSB.350°C
75	130	25	49	80	5	HighTemp 075 6215/CSB.350°C
90	160	30	101	70	5	HighTemp 090 6218/CSB.350°C
95	170	32	114	60	5	HighTemp 095 6219/CSB.350°C
100	180	34	127	60	5	HighTemp 100 6220/CSB.350°C