


NN ... NA



NNU ... KM NA

ZYLINDERROLLENLAGER zweireihig

Lagerbezeichnung		Hauptabmessungen			Tragzahlen			Drehzahlen		Gewicht	Radius	Abmessungen			
Type	Nachsetzzeichen	d	D	B	dyn.	stat.	Ermüdungs- grenzbelastung	Fett	Öl						
		(mm)	(mm)	(mm)	(kN)	(kN)	(kN)	(min ⁻¹)	(min ⁻¹)	(kg)	(mm)	(mm)	(mm)	(mm)	(mm)
		d	D	B	Cr	Cor	Pu	ng	no	G	r _{smin}	ns	F	E	
NN 3006	K M NA	30	55	19	29,00	38,00	4,63	11000	14000	0,192	1,0	4,5		48,5	
NN 3007	K M NA	35	62	20	36,50	47,00	5,73	10000	12000	0,246	1,0	4,5		55,0	
NN 3008	K M NA	40	68	21	42,50	58,00	7,07	9000	11000	0,298	1,0	4,5		61,0	
NN 3009	K M NA	45	75	23	48,50	70,00	8,54	8000	9500	0,382	1,0	4,5		67,5	
NN 3010	K M NA	50	80	23	51,50	80,00	9,76	7500	9000	0,415	1,0	4,5		72,5	
NN 3011	K M NA	55	90	26	69,00	100,0	12,20	6700	8000	0,618	1,1	4,5		81,0	
NN 3012	K M NA	60	95	26	72,00	110,0	13,41	6300	7500	0,664	1,1	4,5		86,1	
NN 3013	K M NA	65	100	26	74,00	118,0	14,39	6000	7000	0,705	1,1	4,5		91,0	
NN 3014	K M NA	70	110	30	96,00	151,0	18,41	5300	6300	1,02	1,1	6,5		100,0	
NN 3015	K M NA	75	115	30	96,00	153,0	18,66	5000	6000	1,08	1,1	6,5		105,0	
NN 3016	K M NA	80	125	34	118,0	184,0	22,27	4800	5600	1,50	1,1	6,5		113,0	
NN 3017	K M NA	85	130	34	122,0	200,0	23,87	4500	5300	1,58	1,1	6,5		118,0	
NN 3018	K M NA	90	140	37	141,0	224,0	26,20	4300	5000	2,01	1,5	6,5		127,0	
NN 3019	K M NA	95	145	37	146,0	236,0	27,25	4000	4800	2,10	1,5	6,5		132,0	
NN 3020	K M NA	100	150	37	152,0	264,0	30,11	3800	4500	2,21	1,5	6,5		137,0	
NNU 4920	M NA	100	140	40	125,0	244,0	28,17	4000	4800	1,79	1,1	6,5	113,0		
NNU 4920	K M NA	100	140	40	125,0	244,0	28,17	4000	4800	1,80	2,0	6,5	113,0		
NN 3021	K M NA	105	160	41	192,0	310,0	34,74	3600	4300	2,81	2,0	6,5		146,0	
NNU 4921	K M NA	105	145	40	118,0	231,0	26,35	3800	4500	2,00	1,1	6,5	118,0		
NN 3022	K M NA	110	170	45	226,0	365,0	40,24	3400	4000	3,56	2,0	6,5		155,0	
NNU 4922	K M NA	110	150	40	129,0	264,0	29,76	3800	4500	1,91	1,1	6,5	123,0		
NN 3024	K M NA	120	180	46	235,0	405,0	43,73	3200	3800	3,87	2,0	6,5		165,0	
NNU 4924	K M NA	120	165	45	170,0	328,0	35,97	3400	4000	2,66	1,1	6,5	134,0		
NN 3026	K M NA	130	200	52	294,0	510,0	53,52	3000	3600	5,76	2,0	9,5		182,0	
NNU 4926	K M NA	130	180	50	193,0	371,0	39,67	3200	3800	3,60	1,5	6,5	146,0		
NN 3028	K M NA	140	210	53	305,0	520,0	53,61	2800	3400	6,21	2,0	9,5		192,0	
NNU 4928	K M NA	140	190	50	189,0	395,0	41,45	3000	3600	3,79	1,5	6,5	156,0		
NN 3030	K M NA	150	225	56	339,0	600,0	60,60	2600	3000	7,50	2,1	9,5		206,0	
NNU 4930	K M NA	150	210	60	326,0	645,0	65,94	2600	3200	6,46	2,0	9,5	168,5		
NNU 4932	K M NA	160	220	60	322,0	652,0	65,59	2600	3000	6,38	2,0		178,0		
NN 3034	K M NA	170	260	67	458,0	810,0	78,51	2200	2600	12,40	2,1	9,5		236,0	
NNU 4934	K M NA	170	230	60	335,0	718,0	71,12	2400	3000	7,21	2,0	6,5	188,5		
NN 3036	K M NA	180	280	74	576,0	1080	102,6	2000	2600	16,30	2,1	12,2		255,0	
NNU 4944	M NA	220	300	82	533,7	1330	121,8	1800	2100	16,60	2,1		243,0		
NNU 4952	M NA	260	360	100	852,8	2100	182,4	1600	1900	31,70	2,1		292,0		
NN 3048	K	240	360	92	885,0	1690	148,2	1700	2000	32,70	3,0			330,0	
NN 3056	K M NA	280	420	106	1110	1985	166,2	1400	1700	49,50	4,0	15,0		384	
NNU 4960	K M NA	300	420	118	1075	2410	200,1	1300	1600	50,50	3,0		339		
NNU 4164	M	320	540	218	3300	6200	488,1	700	1000	200,0	5,0		375		
NNU 4964	K M NA	320	440	118	1115	2581	210,9	1300	1500	54,50	3,0		359		
NNU 4172	M	360	600	243	3900	8500	647,5	900	1100	275,00	3,0				
NNU 4972	M	360	480	118	1120	2800	222,0	1120	1400	55,00	3,0	3,0	399		
NN 3076	K M NA	380	560	135	1640	3650	279,8	1000	1200	111,0	5,0	16,7		513	
NNU 4976	K M NA	380	520	140	1485	3760	292,0	1100	1300	91,00	4,0		426		
NNCL 4980		400	540	140	2340	5900	452,3	700	310	96,50	4,0	7,0			
NNU 4984	M	420	560	140	1550	4081	309,0	1000	1000	96,00	4,0	16,7	466		
NNU 4188	M	440	720	280	4470	11500	827,7	600	700	452,0	6,0		511		
NNU 4992	K M NA	460	620	160	2135	5543	407,6	900	1100	143,0	4,0		510		
NNU 41/500	M	500	830	325	7400	14500	1002	580	700	705,0	7,5		582		
NNU 49/500	K M NA	500	670	170	2715	6920	496,8	800	1000	178,0	5,0		552		
NNU 49/530	K M NA	530	710	180	3140	8845	624,0	800	950	218,0	5,0		588		
NNU 41/630	M NA	630	1030	400	10263	22104	1429	340	420	1304	7,5		734		
NNU 49/630	K M NA	630	850	218	3835	10716	716,9	670	800	368,0	6,0		704		